

CONSTRUCTION DOCUMENTS CHECKLIST

for the

2012 Michigan Building Code

Including Building Permit Application Checklist

*This checklist is a convenient reference to the 20012 Michigan Building Code. The checklist summarizes the **minimum** data required by the MBC to be on construction documents for the examination and approval of a building permit application for non-residential and multi-family projects. Depending on the type and complexity of the project, additional information not indicated on this checklist may be required by the MBC or the Building Official [105.3 (7);,107.1] Applicants are encouraged to indicate if the required data is applicable to the project, or not applicable, and attach a copy of the completed checklist to the construction documents.*

Please contact the local building department for requirements regarding phased construction or tenent finishes. Thank you for taking time to complete this checklist. Having the necessary information at the beginning of the plan review process will help expedite the issuance of a building permit.

DATE SUBMITTED

PROJECT NAME

PROJECT ADDRESS

JOB NUMBER/TRACKING NUMBER

CHECKLIST PREPARED BY

REPRESENTING

INFORMATION REQUIRED ON THE CONSTRUCTION DOCUMENTS; 105.3(4); 107.2

Provided dwg/spec	Not Applicable	
		Indicate the project name and address on the plans if available. (105.3.(2); 107.2.1)
		Owner's name and mailing address
		Name of the registered design professional
		Michigan license number of registered design professional
		Address of registered design professional
		Telephone number of the registered design professional
		Fax number of the registered design professional
		Name, Michigan license number, address, telephone number, and fax number of the registered design professional in responsible charge (unless waived by the Building Official) (107.3.4)
		Name of individual to receive review comments
		Address of individual to receive review comments
		Telephone number of individual to receive review comments
		The Michigan licensed Registered Design Professional must provide original signature, seal and date on all sheets of the drawings and specification manual or on the index sheet of the drawings and specification manual only when the index sheet covers all the sheets that makeup the drawing set and specification manual (107.1; 107.3.4)
		List code applicable to project (107.2.1) The MBC or the MBC Section 34, or the Michigan Rehab Code may be used for existing buildings . Only one code may be used
		List of all proposed deferred submittal documents (107.3.4.1)
SITE PLANS (107.2.5)		
		Identify all existing & proposed construction
		Show property lines; identify building distances from property lines and from other buildings on-site.
		Identify all structures to be demolished
		Identify the total number of parking spaces provided.
		Identify the total number of accessible parking spaces provided, including van accessible spaces.(1106.1; 1106.5)
		Show proposed finish grades, grade floor elevations, street elevations.

			Show flood plain elevations and boundaries.
			Indicate the location of all new and existing utilities, including the entrance points into the building and the FDC location

33

34

INFORMATION REQUIRED ON THE CONSTRUCTION DOCUMENTS; 105.3(4); 107.2 (CONT.)			
Provided dwg/spec	Not Applicable		
			Show site grading (slope away) of the ground immediately adjacent to the foundation of the building
			Provide complete dimensions, running slope and cross slope of all accessible parking spaces and accessible routes from the accessible parking to the accessible entrances. (107.2.1; 1104.1)
BUILDING PLANS			
			Indicate Use Group. Indicate mixed use option if applicable (302.1)
			Indicate Type of Construction (602.1)
			Indicate the use of all rooms and spaces. Indicate number of occupants on every floor, room and space. Show method used to determine the occupant load and means of egress requirements. (107.2.1; 107.2.3; 1004.1)
			Provide Key Plan if needed to identify the location of the proposed work (107.2.1)
			Indicate total area of building, number of stories, and provide height and area calculations including open perimeter & fire suppression increases. (501.1; Table 503)
			Indicate if a full or limited area Fire Suppression system & Fire Alarm system will be installed
			Show location and provide details of all fire and smoke rated assemblies and protection of penetrations including permanent markings and identifications. Provide U.L. design number or other approval rating. (107.2.1; 703.7; 701.1; 703.2; 712.1)
			Show location of portable fire extinguishers. (906.1)
			Provide details showing the proposed assembly of all walls, floors roofs, and stairs (107.2.1; 107.2.3; 107.2.4)
			Show location and hourly rating of all fire doors, fire dampers and fire windows (715.1) (716.1)
			Provide details of room finishes including type of materials with flame spread and smoke development ratings indicated for all materials. (801.1) (107.2.1; 803.1) (2603.1) Documentation for the flame spread and smoke development of all materials must be provided at field inspection.
			Provide flame spread and smoke development documentation for all foam plastics and details on the foam plastic insulation thermal barriers (107.2.1; 2603.1)
			Provide complete dimensions for all rooms and spaces including stairs, aisles, passageways, corridors, areas around counters, fixtures, all circulation and egress paths, and maneuvering clearance at all doors (107.2.1; 1003.1) (1101.2).
			Provide door hardware, door and window details including type, size, material, and hourly rating required. (107.2.1; 1008.1)
			Show masonry sizes, grades, reinforcement, anchorages, loads and compressive strengths; provide masonry fireplace details and clearances. 2101.3(1) thru 2101.3.3 (9); 2101.3.1)
			Provide stairway details with all guard and handrail details (1009.1)
			Show location of all exit signs and means of egress lighting (1006.1; 1011.1)
			Show type and thickness of all glazing materials and safety glazing where required (2401.1)
			Provide accessibility details (107.2.1; 1101.2)
			Provide dimensions and details for all interior accessible routes within the building. Include the maneuvering clearance required at all doors. (1104)
			Indicate heights, clearances and turning radii along all accessible routes (1104)
			Provide plumbing fixture and accessory details (1109)
			Provide dimensions and details for all use group requirements. Including features and facilities required to be accessible (1107) (1108) (1109)
			Provide signage details, including location, wording, size and mounting height. (1110.1)
			Show exterior wall details (107.2.1; 107.2.4; 1401.1)
			All base, sill, jamb and head flashings
			Intersection with dissimilar materials
			Corners
			End conditions
			Control joints
			Intersection at roof, eaves or parapets
			Details around openings
			Construction space venting
			Means of water drainage
			Roof overflow drains [P] 1503.4
			Water-resistive membrane

INFORMATION REQUIRED ON THE CONSTRUCTION DOCUMENTS; 105.3(4); 107.2 (CONT.)		
Provided dwg/spec	Not Applicable	
		STRUCTURAL PLANS (107.2.1; 1603.1)
		Indicate design loads (1603.1)
		Roof Live Load (1603.1.2)
		Floor Live Load (1603.1.1)
		Ground snow load (1603.1.2)
		Roof Snow Load (1603.1.3)
		Wind Design Data (1603.1.4)
		Earthquake Design Data (1603.1.5.1 thru 1603.1.5.11)
		Indicate load bearing value of soils (1603.1.6; 1801.2; 1803.6 (5))
		Guard & Handrail (1607.8)
		Indicate any special Loads (1603.1.8)
		Show foundation dimensions and details (107.2.1; 1603.1; 1801.2)
		List all Design/Construction Standards and material specifications (107.2.1)
		Indicate the location, size and cross section of all structural members with dimensions, column centers and offsets (1603.1)
		Identify lateral resistive system(s) including lateral bracing and transfer and collection systems (1604.8)
		ELECTRICAL PLANS (106.1.1)
		Electrical layout (Michigan Part 8 - 80.21)
		Wattage Schedule (Michigan Part 8-80.21)
		Short circuit calculations for circuit breaker installation
		Service Location and Riser Diagram (Michigan Part 8-80.21)
		Load Calculations (Michigan Part 8-80.21)
		Show lighting system design, circuits, switches, materials, equipment listing, light fixtures and installation instructions (2701.1 NEC 110.2, 110.3)
		Show power system design, circuits, materials, equipment listing and installation instructions (2701.1 NEC 110.2, 110.3)
		Single line diagram including available fault current and bus bracing
		Light fixture schedule
		Show exit signs and lighting and power supply (1006.1, 1011.1)
		Show egress emergency lighting (1006.1, 1011.1)
		Indicate ratings of materials installed in wet locations (NEC 358)
		Indicate wiring and materials in ducts, plenums and equipment
		Indicate wiring methods, conduits and materials (NEC 300)
		Show service conductors, conductor sizes, ratings and insulation (NEC 230)
		Indicate interrupting rating (NEC 110.9, 110.10, 230.205)
		Verify working space in front of equipment (NEC 110.26, 110.32, 110.34)
		Indicate means of disconnect and number and location (NEC 230.70, 240.13)
		Show ground fault protection (NEC 230.95)
		Show hazardous locations and materials used
		Indicate protection of conductors (NEC 240.3)
		Indicate grounding of electrical system (NEC 250)
		Show design of emergency electrical system (NEC 700)
		PLUMBING PLANS (P106.3.1)
		Show all underground plumbing and building riser diagram (P106.3.1)
		Show design of water supply and distribution including sizes, depths and materials (P601.1)

76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119

INFORMATION REQUIRED ON THE CONSTRUCTION DOCUMENTS 105.3(4) (CONT.)			
Provided dwg/spec	Not Applicable		
			Show plumbing fixture layout (P401.1, P106.3.1)
			Provide water use calculations (P106.3.1)
			Show all backflow prevention devices and type of device (P106.3.1, 601.1, 608)
			Provide occupancy calculations for plumbing fixtures provided (Table P403.1)
			Show locations, equipment sizes and hookups for all boilers and water heaters (M1001.2)
			Provide details of water system design (P601.1)
			Indicate water temperature control devices (P607.1)
			Show hot water return circulation (if required) (P607.2; 607.2)
			Indicate control of thermal expansion (P607.3)
			Indicate hot water heater relief valve discharge (P504.1 to 504.4.1)
			Show design and location of sanitary drains and vent systems including sizes, depths, slopes, materials and cleanouts (P701.1)
			Show details for any hazardous waste system (P702.5)
			Show design of storm water management system including sizes, depths, slopes, materials and cleanouts (P1101.2)
			Provide calculations for rainfall rates and water retention amounts (P1101.7;1105.1;1106.1; 1107.1)
		MECHANICAL PLANS (M106.3.1)	
			Show compliance with International Energy Conservation Code (M301.2)
			Show protection of penetrations through all rated assemblies (M302.2)
			Show equipment locations, service clearances and service access (M306.1)
			Provide heating and cooling load calculations (M106.3.1; 312.1)
			Provide calculations for combustion air and exhaust air (M701.1)
		Hydronic Systems	
			Show complete process piping diagram (M1201.1; 1201.2)
			Show provisions for combustion air supply and venting (M701.2)
		HVAC systems	
			Show provisions for ventilation air, natural or mechanical (M401.2; 401.4)
			Show energy loads, equipment locations and equipment specifications including cfm and system static (M301.4; 303.1; 304.1)
			Show fire/smoke damper locations and details including rating (M717.1)
			Show locations of smoke duct detectors in both return and supply ducts (M606.1)
			Show ductwork layout including gauges, hangers and sizing (M603.1)
			Show duct insulation details including R-factor and Perm. rating (M604.1)
			Show location of vents for all fuel fired appliances (M804.1 to 804.3.8)
		Fuel piping systems	
			Provide piping layout, load calculations and meter location (IFGC 402)
			Provide system operating pressure and pressure regulator detail (IFGC 402, 416)
		Exhaust and ventilation systems (M401.1; M501.1)	
			Show method of smoke control (M513.1)
			Provide documentation for Special Inspector (M513.3)
			Show hazardous exhaust systems (M510.1)
			Determine design class as hazardous or non-hazardous. Provide MCDS data sheets to support hazardous level indicated (M510.1)
			Show locations for inlets, outlets and heights for exhaust equipment and hoods (M502.1)
			Provide exhaust equipment specifications, cfm and static pressure (M106.3.1)
		Commercial kitchen hoods Type 1 and Type 2 (M507.1)	
			Provide duct layout, grease door location and method of attachment (M506.3)
			Provide velocity, cfm and location of ventilation equipment (507.13)

120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164

			Provide fire protection for Type 1 hoods (M509.1)	165
			Provide make-up air and equipment control diagram (M508.1)	166
			Provide hood sizing: show top, side and front views (M507.4, 507.5, 507.11, 507.12)	167

INFORMATION REQUIRED ON THE CONSTRUCTION DOCUMENTS 105.3(4) (CONT.)			
Provided dwg/spec	Not Applicable		
			Provide complete appliance lineup under Type 1 hoods (M507.12)
			Provide Type 2 hoods for dishwashers (M507.2..2)
			Provide ratings for all hoods (M507.1)
			Refrigeration (1101.1)
			Provide classification for refrigeration system (M1103.3)
			Provide refrigerant classification (M1103.1)
			Provide occupancy classification (M1103.2)
			Provide quantity of maximum allowable refrigerant (M1103.1)
			Provide details for refrigeration system enclosure requirements (M1105)
			Provide pressure tests for all non-factory or field erected equipment and appliances (M1108.1)
			Provide refrigerant piping diagram (1107.1)

170
171
#REF!
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186

BUILDING PERMIT APPLICATION CHECKLIST		
Provided	Not Applicable	
		Please contact the local jurisdiction to determine what additional information may be required, the number of sets of documents to be submitted and/or the requirements for phased construction or tenant finish permits.
		Contact information provided: Name, Address, Business phone , Cell phone, Fax number and Email address
		Building Permit Application filled out completely and signed by the Applicant (105.1; 105.3)
		<u>Construction Documents and Specification Manual</u> , if used - Signed, sealed and dated by a State Licensed Registered Design Professional (107.1).
		Describe the business use and its intended operation (105.3. 3)
		<u>Statement of Special Inspections</u> - Include a complete list of materials and work requiring special inspections, the inspections to be performed and their frequencies. Provide a list of agencies and firms you propose to conduct each of the inspections and the qualifications, credentials and experience for each of the individuals (1704.1; 1704.3)
		<u>Soils Report</u> - Prepared by a State Licensed Registered Design Professional. The reports must have the State Licensed Registered Design Professional's original signature, seal and date. (1803.1)
		<u>Energy Calculations</u> and details to show compliance to the Michigan Uniform Energy Code Part 10a rules R408.31087 to R408.31099. (1301.1.1)
		<u>Structural Calculations</u> - For all structural members and foundations. Include the deflection limits and all load calculations. All calculations must have the State Licensed Registered Design Professional's original signature, seal and date. (107.1)
		<u>Hazardous Materials</u> - If hazardous materials are to be stored, dispensed, or used for manufacturing or processing; describe the type, use, quantity, location, and method of storage of all materials. Material Safety Data Sheets (MSDS) must be submitted. The construction drawings shall address the requirements of the MBC for High hazard use if quantities above the exempt amounts are proposed. Hazardous materials will also be reviewed by the Fire Department. (107.2.1; 307.1)
		<u>Valuation</u> : State the valuation of the proposed work. (105.3, 5)
NOTE: The review of premanufactured housing requires a copy of the building systems approval report, a copy of the original plans and a site plan.		

187
188
189
190
191
192
193
194
195
196
197
198
199
200